

SAMSUNG

proXpress

Multifunction
C4060FX

Exceptional
productivity
Outstanding
colour quality



SMART PRINTING.
BUSINESS INNOVATION.



HELP MAXIMISE OFFICE PRODUCTIVITY WITH EFFICIENT, PROFESSIONAL PRINTING

Overview

Medium-sized businesses and enterprises today are increasingly looking to innovative printing technologies to help boost staff performance and office productivity. Competitive businesses operating in fast-paced environments can demand reliable, all-in-one printing equipment and customisable solutions. To help meet their needs, we proudly introduce the Samsung ProXpress C4060FX.

The ProXpress C4060FX is designed to put it all together for modern offices: efficiency plus exceptionally fast, professional quality printing. Samsung's innovative ReCP technology is designed to ensure picture perfect quality text and images every time, and scan speeds up to 60 images per minute (ipm)*. Staff will also appreciate the ease-of-use and customisability of Samsung's unique Smart UX Centre. Coupled with a wide range of apps and solutions (sold separately), the Android® based printing user interface is familiar and easily accessed on an intuitive 7-inch touchscreen.

Admin staff will appreciate the large toner capacity and long-lasting parts, which can help productivity and cost management. Ultimately, the ProXpress C4060FX seeks to offer powerful performance with low maintenance needs.

Samsung ProXpress C4060FX:



C4060FX (up to 40 ppm*)

*Print and scan speeds may vary depending on a number of factors including (but not limited to) document type, document size, document condition, network conditions and print settings. Print quality may depend on content.

Key benefits

Help boost productivity with powerful performance

- Fast print speeds with a quad core 1.5 GHz CPU
- Scan up to 60 ipm with a Dual Scan Document Feeder*
- Sharpen and enhance graphic quality with ReCP technology
- Print high volume documents on various paper types

Work smart, with customised workflows that meet your needs

- Smart UX Centre streamlines your workflows
- Work smart and efficiently with a wide variety of apps (sold separately)*
- Intuitive and customisable UI for efficiency
- XOA-E support for outstanding productivity

* Apps are installed on the printer tablet interface. App download required. Apps are available for download via the Samsung Printing app store. Data usage, app and other charges may apply. Internet connection required.


Excellent technology and productivity

- Low TCO with high yield toners

HELP BOOST PRODUCTIVITY WITH POWERFUL PERFORMANCE

Fast print speeds with a quad core 1.5 GHz CPU

Reach business goals fast with the Samsung ProXpress C4060FX. Backed by up to 3 GB of memory, a quad core 1.5GHz CPU and with system-on-chip technology, the C4060FX promises powerful performance with print speeds up to 40 pages per minute (ppm)*.



Quad Core
Up to
40 ppm*



Scan up to 60 ipm* with a Dual Scan Document Feeder

The Samsung ProXpress C4060FX features Dual Scan Document Feeder technology, enabling exceptional scanning speed. It ensures fast scanning speeds up to 40 single-sided ipm* and 60 double-sided ipm*.



*Print and scan speeds may vary depending on a number of factors including (but not limited to) document type, document condition, document size, network conditions and print settings.

Sharpen and enhance graphic quality with ReCP technology

Blurry is unprofessional. Samsung's ReCP technology is designed to improve print quality by refining small text and thin lines. The Samsung ProXpress C4060FX helps ensure vivid colour saturation with precise and crisp details for enhanced resolution.*

*Print quality may depend on content.



Print high volume documents on various paper types

Help expand productivity with the Samsung ProXpress C4060FX. With an exceptionally high input capacity of up to 2,250 sheets, it is built for handling heavy business documents fast. It even supports various types of paper, with weights up to 220g/m².



WORK SMART, WITH CUSTOMISED WORKFLOWS THAT MEET YOUR NEEDS



Smart UX Centre streamlines your workflows

Smart UX Centre is an intuitive Android® based printing user interface, complete with an open and steadily growing ecosystem of apps and widgets designed to enhance work productivity. The Smart UX Centre offers exceptional extensibility that continues to evolve and improve printer performance, helping to create a smarter working environment.



Awarded for Smart UX Centre's Unique and Innovative Possibilities

Work smart and efficiently with a wide variety of apps*

Improve work productivity by customising the user interface to suit your company's needs. Finding the right apps and widgets in the App Centre can help enhance workflows by automating frequently performed tasks, or remotely diagnosing printer failures. For more information about our apps, please visit smartux.samsung.com*

*Apps are installed on the printer tablet interface. Internet connection and app download required. Data usage, app and other charges may apply



Intuitive and customisable UI for efficiency

The Samsung ProXpress C4060FX comes equipped with an interactive 7-inch IR type touchscreen panel to access the Smart UX Centre. The touchscreen is simple to use and enables users to easily move widgets and apps around, even when operating with a pen or gloved hand.



Pen or gloved hand



XOA-E support for optimal productivity

The XOA-E platform supports Samsung in-house solutions and ISV solutions for your business requirements. Enjoy access to a variety of Samsung in-house solutions and secure in-house print operations—all without a server—and manage devices conveniently. XOA-E is designed to help boost productivity and efficiency at the same time.


COST MANAGEMENT

Low TCO with high yield toners

The Samsung ProXpress C4060FX supports high volume print loads with toner cartridges designed to yield up to 15K in mono and 10K in colour.*

*Declared yield value in accordance with ISO/IEC 19798. Toner sold separately.

Toner Cartridge
(Max 10,000 colour pages)
(Max 15,000 mono pages)



*Estimated yield at 5% coverage. For best performance and yield, we recommend using genuine Samsung parts and consumables



Power saving features

Long warm-up periods can create more downtime. The Samsung ProXpress C4060FX is designed to reduce the time spent to prepare before and between print jobs in Ready mode.

SAMSUNG MULTIFUNCTION PRINTER

proXpress C4060FX

Specifications

General	C4060FX
Standard Functions	Print, Copy, Scan, Fax
Processor	1.5 GHz Quad Core CPU
Operational Panel	7" Touchscreen LCD
Memory (Standard)	3 GB
Memory (Maximum)	5 GB
Hard Disk Drive	320 GB HDD (User Available Space : 279 GB)
Interface (Standard)	USB Device, USB Host x 2, Ethernet 10/100/1000 Base TX
Interface (Optional)	IEEE 802.11 b/g/n (NFC Active Type), IEEE 802.11 b/g/n/ac (NFC Active Type, BLE)
Warm-up Time (From Power On)	30 sec
Warm-up Time (From Sleep)	6 sec
Power Requirements	AC 220 - 240 V, 50 / 60 Hz, AC 110 -127 V, 50 / 60 Hz (Not dual voltage, power supply varies by country)
Power Consumption	600 W (Printing), 650 W (Copying), 21 W (Ready), 1.4 W (Sleep), 1.872 kWh (TEC)
Noise Level	Less than 53 dBA (Printing), Less than 56 dBA (Copying), Less than 37 dBA (Ready)
Dimension (WxDxH)	420 x 453 x 529 mm (16.5 x 17.8 x 20.8 in) Set Only : 25.6 kg (56.4 lb) Set with Supplies : 28.5 kg (62.8 lb)
Weight (SET Only / SET with Supplies)	
Max. Monthly Duty Cycle*	up to 80,000 pages
Recommended Monthly Print Volume*	up to 2,000 -15,000 pages
Security	SSL/TLS, IPv6, IPsec, SNMPv3, IEEE 802.1x, Kerberos, SMB, LDAP, Protocol&Port Management, IP/MAC Filtering, HDD Overwrite, HDD Encryption, Common Criteria Certification (ISO 15408), Audit Log, Access Control
Client OS Support	Windows : XP (32/64 bit), 2003 Server (32/64 bit), Vista (32/64 bit), 2008 Server (32/64 bit), Windows 7 (32/64 bit), 2008 Server R2 (64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2012 (64 bit), Windows Server 2012 R2 (64 bit), Windows 10 (32/64 bit) Linux : RedHat Enterprise Linux 5, 6, Fedora 12, 13, 14, 15, 16, 17, 18, 19, 20, OpenSUSE 11.2, 11.3, 11.4, 12.1, 12.2, 12.3, 13.1, Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, SuSE Linux Enterprise Desktop 10, 11, Debian 6, 7, Mint 13, 14, 15, 16 Unix : Sun Solaris 9, 10, 11 (x86, SPARC), HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium), IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1 (PowerPC) Mac : OS 10.6 - 10.11
Network Protocols	TCP/IPv4, IPv6, DHCP, BOOTP, AutoIP, DNS, DDNS, WINS, Standard TCP/IP, LPR/LPD, IPP, ThinPrint, Google Cloud Print, AirPrint, WSD print, FTP print, HTTP, SNMP (v1/2c/3), Telnet, SLP, Bonjour, UPnP (SSDP), WSD Discovery, SMTP, SMTP

* Pages may vary depending on a number of factors including (but not limited to) document type, media type, paper size, print coverage, network conditions and print settings.

Print	C4060FX
Speed (Mono)	Up to 40 ppm in A4 (42 ppm in Letter)
Speed (Colour)	Up to 40 ppm in A4 (42 ppm in Letter)
First Print Out Time (Mono)	As fast as 8 sec
First Print Out Time (Colour)	As fast as 8 sec
Resolution	Up to 9,600 x 600 dpi Effective Output
Print Languages	PCL5, PCL6, PS3, PDF V1.7
Duplex Print	Built-in
Direct Print Support	JPEG, PDF, PRN, TIFF, XPS
Print Features	Secure Print, Stored Print, Booklet Print, N-up, Cover Page Print, Barcode Print, Eco Print, Skip Blank pages, Poster Print, Watermark, Tray Priority Settings, Auto Tray Switching, Tray Protection, Direct Print from USB, Secure PDF Print
Mobile Print Feature	Apple AirPrint, Mopria-certified, Google Cloud Print, Samsung Cloud Print, PrinterOn Cloud Print, Samsung Mobile Print, Samsung Print Plugin

Copy	C4060FX
Speed (Mono)	Up to 40 ppm in A4 (42 ppm in Letter)
Speed (Colour)	Up to 40 ppm in A4 (42 ppm in Letter)
First Copy Out Time (Mono)	Less than 9 sec
First Copy Out Time (Colour)	Less than 9 sec
Resolution	Up to 600 x 600 dpi
Reduce / Enlarge Range	25 - 400 %
Multi Copy	9,999 pages
Duplex Copy	Built-in
Copy Features	ID Copy, N-Up, Auto Fit, Book Copy, Booklet, Poster Copy, Image Repeat, Overlay, Image Shift, Covers, Colour Shift, Negative Image, Saturation, Under Colour Removal, Fine Density, Watermark, Stamp, Edge Erase, Background Density, Background Image, Background Adjustment, Mirror Image, Copy to Edge, Program

Scan	C4060FX
Scan Speed (Mono)	Simplex 40 ipm (300 dpi), Duplex 60 ipm (300 dpi)
Scan Speed (Colour)	Simplex 40 ipm (300 dpi), Duplex 60 ipm (300 dpi)
Compatibility	Windows : TWAIN / Mac : TWAIN, ICDM / Linux : SANE
Method	Colour CIS
File Format	PDF, Searchable PDF, Compact PDF/ PDF Encryption, Digital Signature in PDF, PDF/A, Outline PDF, TIFF, XPS, JPEG
Resolution (Optical)	Up to 600 x 600 dpi
Resolution (Enhanced)	Up to 4,800 x 4,800 dpi
Scan Destinations	Email, FTP, SMB, HDD, USB, PC, I-Fax
Scan Document Weight	60 - 90 g/m ²

Fax	C4060FX
Compatibility	ITU-T G3 / Super G3
Modem Speed	33.6 kbps
Resolution	Up to 600 x 600 dpi
Compression Method	MH / MR / MMR / JBIG
Memory	HDD (Shared)
Auto Dial	Yes
Fax Feature	Speed Dial, Group Dial, ECM, Caller ID, Auto Redial, On Hook Dial, Delay Send, Multi Send, Background Adjustment, Job Build, Quick Start, Preview, Secure Reception, Forwarding to Fax/Email/SMB/FTP/Box, etc.

Paper Handling	C4060FX
Input Capacity (Cassette)	550 sheets
Input Capacity (Multipurpose Tray)	50 sheets
Input Capacity (Maximum)	2,250 sheets
Media Type (Cassette)	Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight, Cotton, Coloured, Pre-Printed, Recycled, Bond, Archive, Letterhead, Hole Punched, Cardstock, Glossy Photo, Envelope, Thick Envelope, Label
Media Type (Multipurpose Tray)	Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight, Cotton, Coloured, Pre-Printed, Recycled, Bond, Archive, Letterhead, Hole Punched, Cardstock, Glossy Photo, Envelope, Thick Envelope, Label
Media Size (Cassette)	A4, A5, A6, B5(JIS), B5(ISO), Legal, Letter, Executive, Statement, Oficio, Folio, Envelope Monarch, Envelope DL, Envelope C5, Envelope C6, Envelope No.10, Envelope No. 9, Postcard, Custom (98 x 127 mm - 216 x 356 mm (3.86" x 5" - 8.5" x 14"))
Media Size (Multipurpose Tray)	A4, A5, A6, B5(JIS), B5(ISO), Legal, Letter, Executive, Statement, Oficio, Folio, Envelope Monarch, Envelope DL, Envelope C5, Envelope C6, Envelope No. 10, Envelope No. 9, Postcard 4x6, Index Card 3x5, Custom (76 x 127 mm - 216 x 356 mm (3" x 5" - 8.5" x 14"))
Media Weights (Cassette)	60 - 220 g/m ²
Media Weights (Multipurpose Tray)	60 - 220 g/m ²
ADF Type	DSDF
ADF Document Capacity	50 sheets
Output Capacity	250 sheets

Supplies	C4060FX
Toner (Black)	CLT-K603L (15,000 pages) * Declared yield value in accordance with ISO/IEC 19798 * Ships with initial toner cartridges yield 4,000 pages
Toner (Colour)	Yellow Toner : CLT-Y603L (10,000 pages) Magenta Toner : CLT-M603L (10,000 pages) Cyan Toner : CLT-C603L (10,000 pages) * Declared yield value in accordance with ISO/IEC 19798 * Ships with initial toner cartridges yield 2,500 pages

Options

Second Cassette Tray	SL-SCF3001
Capacity	550 sheets
Media Sizes	A4, A5, B5(JIS), B5(ISO), Legal, Letter, Executive, Statement, Oficio, Folio, Custom (98 x 210 mm - 216 x 356 mm (3.86" x 8.3" - 8.5" x 14"))
Media Types	Plain, Thin, Thick, Recycled, Bond, Archive, LetterHead, Hole Punched, Cardstock
Media Weight	60 - 176 g/m ²
Sensing	H/W Install Detect, Paper Empty Detect
Dimension (WxDxH)	420 x 453 x 147 mm (16.5" x 17.8" x 5.8")
Weight	5.4 kg (11.9 lb)

Short Stand	SL-DSK003S
Dimension (WxDxH)	553 x 480 x 116.9 mm (21.8" x 18.9" x 4.6")
Weight	11.1 Kg (24.5 lb)

CUSTOMISE YOUR MFP WITH FLEXIBLE OPTIONS

Configurations & Options

Optional

Kit

2GB Memory
(SL-MEM0020)



Wireless LAN/NFC Kit
(SL-NWE001X)



Wireless LAN/NFC/BLE Kit
(SL-NWE002X)

Paper Input

Second Cassette Tray
(SL-SCF3001)



Short Stand
(SL-DSK003S)



GENUINE SAMSUNG SUPPLIES

Always make the right impression
by using genuine Samsung supplies.

Download the Samsung Printing Catalogue for
detailed product specifications

Scan the QR code or search for Samsung Printing Catalogue in the
Google Play store
Activation code: Q23R-5YU8-OP09



SAMSUNG

About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies, redefining the worlds of TVs, smartphones, wearable devices, tablets, digital appliances, printers, medical equipment, network systems and semiconductors. We are also leading in the Internet of Things space through, among others, our Digital Health and Smart Home initiatives. We employ 307,000 people across 84 countries. To discover more, please visit our official website at www.samsung.com and our official blog at global.samsungtomorrow.com.

Copyright © 2017 Samsung Electronics Co., Ltd. All rights reserved. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. Android is a trademark of Google Inc. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognised and acknowledged.

Samsung Electronics Co., Ltd.

129 Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do 16677, Korea

